

Products	VL100	VP100
	VL300	VP300
	VL100 Pro	VP350
	VL110	VP500
	VL500	VP550
\bigcirc \sqsubset	VL550	VP550E
		VP800
$ \setminus$ I \setminus I		DOLOT

■ Features	Portal & Virtual Terminal



ISOs & ISVs





Valor PayTech is a fast-growing fintech provider of end-to-end, processor-agnostic commerce unified payment solutions. The company equips both merchants and reseller partners with comprehensive, cutting-edge tools and flexibility to succeed in today's rapidly changing business environment.

Experience the future of payments.

For more information, visit valorpaytech.com

A Wide Range of Smart POS Solutions



VALOR



VP500

VP100

RCKT





Cutting-edge Countertop Solutions

Redefining the Merchant & Customer Payment Experience



*Stand sold separately













Dual MID Supported Technology



Cash Discounting, Dual Pricing, Surcharging



Ethernet and Wi-Fi Connectivity



Auto-Connection Failback Procedure



Digital Signature Capture with SMS & Email Receipt Options



Automatic Software Updates



EBT Enabled



SMS & Email Marketing With Engage My Customer™



Full Transaction Information Display



Bill Splitting



Built-in Customer Feedback Rating System

Processor		32-bit secure microprocessor running powerful Linux-based OS
Memory	Flash/DDRRAM	128 MB / 64MB (Up to 256MB / 128MB)
Welliory	Micro-SD Socket	Yes
Display		3.5" Color TFT LCD 320 x 480 Pixels
Touchscreen		Yes
	Magnetic Stripe	ISO 7810, 7811, 7813 Triple track, bi-directional
Card Reader	Contact Card (User Card)	ISO 7816 ID-1 1.8V / 3V / 5V T=0, T=1
	Contactless (Optional)	ISO 14443 Type A, B ISO 18092 NFC Mifare & Sony FeliCa Working Frequency 13.56 MHz
Communications	Wireless	Wi-Fi
Interface Options	Wired	Ethernet
Indicators	LED - Contactless	No
indicators	Audio Buzzer	Yes
Voyanad	Standard Keys	15
Keypad	Function Keys	No
Printer		57 mm x 50 mm, 100mm /sec
Software		SDK KMS TMS GDB CTOS library ISO 8583 library Crypto library
Crypto		TRNG DES T'DES AES RSA MK/SK DUKPT T'DES DUKPT
Power Supply	Power Adapter	DC 9V / 4A
Dimensions (mm)	1	190(L) x 78(W) x 78(H)
Weight		350 g
	Operating Temperature	0°C to 50°C
Environment	Storage Temperature	-20°C to 70°C
	Relative Humidity	5% to 90% non-condensing
Certifications		PCI PTS 4.x EMV L1/L2 payWave PayPass ExperssPay D-PAS Interac Flash J-Speedy FeliCa UnionPay UICS TQM PBOC L1/L



VL100 Pro The Economically Efficient POS Solution







Wide 3.5" Touchscreen



USB & Ethernet-Powered Interface



Ethernet, Wi-fi, & 4G Connectivity



Integrated Keypad with Backlit Keys



LED Indicators



Built-in NFC Reader & Printer



PCI PTS 6.x Certified




Cash Discounting, Dual Pricing, Surcharging

SPECIFICATION	ONS		
Processor			32-bit secure microprocessor running a powerful Linux-based operating system
Managan		Flash/DDRRAM	256MB/128MB
Memory		Micro-SD Socket	Yes (Optional)
Display			3.5" Color TFT LCD 320 x 480 Pixels
		Magnetic Stripe	ISO 7810, 7811, 7813 Triple track, bi-directional reading
Card Reader		Contact Card	ISO 7816 ID-1 1.8V/3V/5V T=0, T=1
		Contactless	ISO 14443 Type A, B ISO 18092 NFC Mifare & Sony FeliCa Working Frequency 13.56 MHz
Communications	inications Wireless		4G LTE WLAN (802.11 b/g/n) Bluetooth
Interface Options		Wired	Ethernet RS232 USB
Indicators		LED - Contactless	Yes
indicators		Audio	Buzzer Speaker (Optional)
Keypad			15
Printer			High speed thermal printer, Max. print speed 100mm/sec
Software			SDK KMS TMS GDB CTOS library ISO 8583 library Crypto library
Crypto			TRNG DES T'DES AES RSA MK/SK DUKPT T'DES DUKPT
Power Supply			DC 9V/4A
Dimensions (mm)			185(L) x 75(W) x 84(H)
Weight	Weight		350 g
	Operating Temperature		0°C to 50°C
Environment	Storage Temperature		-20°C to 70°C
	Relati	ive Humidity	5% to 90% non-condensing
Certifications			PCI PTS 6.x, EMVL1/L2, EMV Contactless L1, PayPass, payWave, American ExpressPay, Discover D-PAS, UnionPay QuickPass, JCB, TQM, CE, RoHS, CB, FeliCa, MIC, BIS, Rupay, MCCS, Saber, WEEE & VOC, FCC



New Age Wireless Terminal

Portable, Powerful, Reliable











Large Scale 3.5" Touchscreen Display



Cash Discounting, Dual Pricing, Surcharging



Handheld Pay-at-the-Table POS



Dual MID Supported Technology



GPRS / 4G and Wi-Fi Connectivity



Auto-Connection Failback Procedure



Automatic Software Updates



Digital Signature Capture with SMS & Email Receipt Options



SMS & Email Marketing With Engage My Customer™



Full Transaction Information Display



Bill Splitting

Specifica	tions		
Processor		32-bit secure microprocessor running powerful Linux-based OS	
Manager	Flash / DDRRAM	128 MB/64 MB (up to 256 MB/128 MB)	
Memory	Micro-SD Socket	Yes	
Display		3.5" 320 x 480 TFT LCD	
Touchscreen		Yes	
	Magnetic Stripe	ISO 7810, 7811, 7813 Triple track, bi-directional	
	Contact Card (User Card)	ISO 7816 ID-1 1.8V/3V/5V T=0, T=1	
Card Reader	Contactless (Optional)	ISO 14443 Type A, B ISO 18092 NFC Mifare and Sony FeliCa Working Frequency 13.56MHz	
	Dual SIM	Yes	
Communications	Handset	2G/3G/4G Wi-Fi USB	
Interface Options	Base	USB	
Indicators	LED-4	No	
Iridicators	Audio Buzzer	Yes	
Keypad	Standard Keys	15	
	Function Keys	No	
Printer		57 mm x 40 mm, 100 mm/sec	
Software		SDK KMS TMS GDB CTOS Library ISO 8583 Library Crypto Library	
Crypto		TRNG DES T'DES AES RSA MK / SK DUKPT T'DES DUKPT	
Power Supply	Power Adapter	9V/4A 5V/1A	
Tower supply	Battery	Li-Polymer 3.7V ~ 4.2V 2100mAH	
Dimensions (mm)	Terminal	160(L) x 78(W) x 67(H)	
2	Base	137.6(L) x 81(W) x 48.8(H)	
Weight		335 g	
Forder	Operating Temperature	0°C to 50°C	
	Storage Temperature	-20°C to 70°C	
Environment	Operating Humidity	5% to 90% non-condensing	
Certifications		PCI PTS 4.x EMV L1/L2 payWave PayPass ExperssPay D-PAS Interac Flash I-Speedy FeliCa UnionPay UICS TOM PBOC L	



Next Generation Wireless Android POS

Full POS Capability with Wireless Portability











5.5" Touchscreen Display



Cash Discounting, Dual Pricing, Surcharging



4G LTE, 3G, GPRS & Wireless connectivity



Auto-Connection Failback Procedure



Dual MID Supported Technology



Automatic Software Updates



Menu & Inventory Management



Business App Marketplace



Digital Signature Capture with SMS & Email Receipt Options



Pay-at-the-Table



Full Transaction Information Display



EMV & Contactless Payments



Bill Splitting



Tip Adjustment

Specifica	tions			
Processor			High Speed Quad-Core 32-bit Processor plus Secure MCU	
Operating System			Android 7.1.2	
Marina	Flash / RAM		8GB / 1 GB	
Memory	Micro-SD Sock	et	Yes	
Display			5.5" 1280 x720 Color TFT Capacitive Touch Display	
	Magnetic Stripe	e	ISO 7810, 7811, 7813 Triple track, bi-directional	
		User Card	ISO 7816ID-11.8V / 3V / 5VT=0, T=1	
Card Reader	Contact Card	SIM Card	2	
	Contactless		ISO 14443 Type A, B ISO 18092 NFC Mifare and Sony FeliCa Working Frequency 13.56MHz	
Communications	Wireless		4G LTE/3G/GPRS WLAN Bluetooth	
Interface Options	GPS		Yes	
Indicators	Audio		Speaker and 4 Pole Audio Jack Microphone	
Keypad			Virtual Keypad (Support PIN on Touch)	
Printer			57mm x 40mm (Paper Roll Size), 100mm/sec (Print Speed)	
Camera			5M Pixel AF with Flash Light Rear Camera	
Software			SDK KMS TMS GDB CTOS library ISO 8583 library Crypto library	
Crypto			TRNG DES T'DES AES RSA MK/SK DUKPT	
Power Supply	DC		5V/2A	
· orrei suppi,	Battery		6000mAh/3.7V Li-ion Rechargeable Battery	
Dimensions (mm)			200(L) x 78(W) x 56(H)	
Weight			495 g	
	Operating Tem	perature	-10°C to 70°C	
Environment Storage Temperature		erature	-20°C to 70°C	
	Relative Humic	dity	5% to 90% non-condensing	
Additional Features	5		2M Pixel FF Front Camera	
			Charging base	
Docking Station			Multi-function base: Charging, Ethernet, Wi-Fi access point, 1 x USB-A, 1 x RS232	
Certifications			PCI PTS 6.x EMV L1/L2 payWave PayPass ExperssPay D-PAS Interac Flash J-Speedy FeliCa UnionPay UICS TQM PBOC L1/L2	



VL550 The Advanced Portable POS Solution















0	Rear Camera

Specifica	tions		
Processor			ARM A53 Quad-Core 2.0GHz Processor + Secure Processor
Operating System			Android 12
	Flash / RAM		32GB/2GB
Memory	Micro-SD Socke	t	Yes
Display	<u> </u>		5.5" TFT Color Display (1440 x720 Pixels) with Capacitive Touch Screen
	Magnetic Stripe	!	ISO 7810, 7811, 7813 Triple Track, Bi-Directional reading
		User Card	ISO 7816-1-2-3 EMV Compliance ID-1 1.8V/3V/5V T=0, T=1
Card Reader	Contact Card	SAM Card	2
	Contactless		ISO 14443 Type A, B ISO 18092 NFC Mifare and Sony FeliCa Working Frequency 13.56MHz
	Wire		USB Type C 2.0 OTG
Communications Interface Options	Wireless		WLAN 802.11a/b/g/n/ac, 2.4G & 5G Bluetooth 5.0 4G LTE/3G/2G
meriace options	GPS		Yes
Indicators	Audio		Speaker Microphone
Printer			57mm x 40mm (Paper Roll Size), 100mm/sec (Print Speed)
Camera			Rear Camera: 5 Megapixel Auto Focus
Software			SDK KMS TMS GDB CTOS library ISO 8583 library Crypto library
Crypto			TRNG DES TDES AES RSA MK/SK DUKPT
Power Supply	DC		5V/2A
Tower Supply	Battery		2600mAh/7.4V Li-ion Rechargeable Battery
Dimensions (mm)			200(L) x 82.73(W) x 56.65(H)
Weight			380g
Environment	Operating Tem	perature	-10°C to 70°C
	Storage Temperature		-20°C to 70°C
	Relative Humidity		5% to 90% non-condensing
Certifications			PCI PTS 6.x EMV L1/L2 payWave PayPass ExperssPay D-PAS Interac Flash J-Speedy FeliCa UnionPay UICS TQM







Large Scale 3.5" **Touchscreen Display**



Dual MID Supported Technology



Cash Discounting, **Dual Pricing, Surcharging**



Ethernet and Wi-Fi Connectivity



Auto-Connection Failback Procedure



Digital Signature Capture with SMS & Email **Receipt Options**



Automatic Software Updates



EBT Enabled



SMS & Email Marketing With Engage My Customer™



Full Transaction Information Display



Bill Splitting



Built-in Customer Feedback Rating System

Specificati	ons	
Processor		32-bit secure microprocessor running a powerful Linux-based OS
Memory	Flash/RAM	128 MB/64 MB (up to 256 MB/128 MB)
Wemory	Micro-SD Socket	Yes
Display		3.5" Color TFT LCD 320 x 480 Pixels
Touchscreen		Yes
	Magnetic Stripe	ISO 7810, 7811, 7813 Triple track, bi-directional
Card Reader	Contact Card (User Card)	ISO 7816 ID-1 1.8V/3V/5V T=0, T=1
cara reduci	Contactless (Optional)	ISO 14443 Type A, B ISO 18092 NFC Mifare and Sony FeliCa Working Frequency 13.56MHz
Communications	Wireless	Wi-Fi
Interface Options	Wired	Ethernet
Indicators	LED - Contactless	No
indicators	Audio Buzzer	Yes
IZ-rI	Standard Keys	15
Keypad	Function Keys	No
Printer		57 mm x 50 mm, 100 mm/sec
Software		SDK KMS TMS GDB CTOS library ISO 8583 library Crypto library
Crypto		TRNG DES T'DES AES RSA MK/SK DUKPT T'DES DUKPT
Power Supply	Power Adapter	DC 9V/4A
Dimensions (mm)		190(L) x 78(W) x 78(H)
Weight		350 g
	Operating Temperature	0°C to 50°C
Environment	Storage Temperature	-20°C to 70°C
	Relative Humidity	5% to 90% non-condensing
Certifications		PCI PTS 4.x EMV L1/L2 payWave PayPass ExperssPay D-PAS Interac Flash J-Speedy FeliCa UnionPay UICS TQM PBOC L1/L2




VP350 The Compact Android PIN Pad









PCI PTS 6.x Certified





4G & Wi-Fi Connectivity



Digital Signature Capture



Extended Micro-SD Memory 256GB

SPECIFICATIONS			
OS			Android 12
Processor			AP: Cortex Quad-Core A53, 2.0GHz SP: Cortex-M3 Security Core
			2GB RAM, 16GB Flash
Memory	Option	al	4GB RAM, 64GB Flash
			MicroSD Card Slot Up to 256GB
Display			5-Inch TFT Full Color LCD Display, Resolution of 1280 x 720, Capacitive Multi-Touch Screen, Support Electronic Signature
	Wired		Ethernet 10/100 Base-T
Communications Interface Options		Optional	4G / 3G / 2G
interface Options	Wireles	S	Wi-Fi (802.11 a/b/g/n) 2.4G & 5G, Bluetooth 5.0
Positioning			GPS/BEIDOU/GLONASS
	Magne	ic Card	Triple track, bi-directional, conforming to ISO 7810/7811/7813
Card Reader	Smart (Card	EMV L1/L2, conforming to ISO 7816, 1.8V/3V/5V, synchronous & asynchronous, T=0 & T=1
cura neader	Contac	tless	Under-Screen Contactless Solution, EMV Contactless L1, Conforming to ISO 14443 Type A/B, Mifare, Felica
			0.3 MP Front Camera, Support 1D/2D Code Payment
Camera	Option	al	2MP Front Camera, Support 1D/2D Code Payment
	Option	al	Professional Code Scanner, Hardware Decoding, Support 1D & 2D Code Payment
Audio	Audio		1 x Speaker, 1 x Microphone, Support Audio Recording and Media play
Keypad			Secure Virtual Keypad for Pin Entry, 1 x Power Button, 2 x Function Buttons
Peripheral Ports			1 x HDMI Multi-Functional Cable (Support RS232, RJ45, USB-A & Power Input) 1 x USB Type-C (Slave) (Used for Dowmloading Only)
Carrel Class			1 x SAM
Card Slots	Optio	nal	1 x SAM, 1 x SAM 2 x SAM
Power Supply			Input: 100-240V AC 50/60HZ Output: 5.0V DC, 2.0A
Dimensions (mm)			148.95mm (L) X 74mm (W) x 22.65mm (H); The Tickest part of the Dimensions (mm) swiping Card Place is 38.27mm
Weight			TBD
	Operating Ten	nperature	0°C ~ 40°C (32°F ~ 104°F)
Environment	Storage Temp	erature	-20°C ~ 60°C (-4°F ~ 140°F)
	Relative Humidity		5% ~ 93% (Non-condensing)
Certifications			PCI PTS 6.x, EMV L1/L2, EMV Contactless L1, PayPass, payWave, American Certifications ExpressPay, Discover D-PAS, UnionPay QuickPass, TQM, CE, CB, RoHS, JCB, Felica, FCC



VP500 Portable Android POS

Enabling the Future of Payments

······································
12:00PM
\$ 33.50
.00
20 %
8
udill
⊘ Ok
5





5.5" Touchscreen Display



Cash Discounting, Dual Pricing, Surcharging



4G LTE, 3G, GPRS & Wireless Connectivity



Auto-Connection Failback Procedure



Dual MID Supported Technology



Automatic Software Updates



Menu & Inventory Management



Business App Marketplace



Digital Signature Capture with SMS & Email Receipt Options



Pay-at-the-Table, Bill Splitting & Tip Adjustment



EMV & Contactless Payments




Dual MID Cash Discounting and Interchange+

SPECIFICATIONS			
Processor		Cortex Quad-core A53, 1.4GHz	
Security Processor		ARMv7-M security core, 192MHz	
Operating System		Android 7.1.2	
Mamani	Flash/RAM	8GB/1GB	
Memory	Micro-SD Socket	(Up to 32GB)	
Display		5-inch TFT full color LCD display, resolution of 1280 x 720, capacitive multi-touch screen, support electronic signature	
Magnetic Card Read	der	Triple track, bi-directional, conforming to ISO 7810/7811/7813	
Smart Card Reader		EMV L1/L2, conforming to ISO 7816, 1.8V/3V/ 5V, synchronous & asynchronous, T=0 & T=1	
Contactless Card Re	eader	EMV Contactless L1, conforming to ISO 14443 Type A/B, Mifare , Felica	
Positioning		GPS, GLONASS, BEIDOU	
Wireless Communic	cation	4G / 3G / 2G WIFI (802.11 b/g/n) Bluetooth 2.1/4.2	
Audio		1 x speaker, 1 x microphone, support audio recording and media play	
Keypad		Secure virtual keypad for PIN entry, 1 x power button, 1 x function key	
Printer		High-speed thermal printer, 80mm/s Paper roll diameter: 40mm Paper width: 58mm	
Camera		0.3 MP front camera, support 1D/2D code payment 2 MP autofocus rear camera with flashlight, support 1D/2D code payment	
Peripheral Ports		1 x Micro USB (OTG), 1 x DC Jack	
Card Slots		2 x SIM, 1 x SAM, 1 x SD (1 x SIM, 2 x SAM, 1 x SD)	
Battery		Li-ion battery, 7.2V/2600mAh/18.7Wh (Equal to 3.6V/5200mAh)	
Power Supply		Input: 100-240V AC 50/60Hz, 0.3A Output: 5.0V DC, 2.0A	
Dimensions (L x W	x H)	190mm (L) x 81mm (W) x 54.9mm (H)	
WL-HUB		RS232 (RJ11), 2 x USB-A, Ethernet (RJ45)	
Weight		440g including battery	
	Operating Temperature	0°C~40°C(32°F~104°F)	
Environment	Storage Temperature	-20°C~60°C(-4°F~104°F)	
	Relative Humidity	5%~93% (Non-condensing)	
D 11 C 11		Charging base	
Docking Station		Multi-function base: Charging, Ethernet, Bluetooth, Wi-Fi access point, 1 x USB-A, 1 x RS232	
Certifications		PCI PTS 6.x, EMV L1/L2, EMV Contactless L1, PayPass, payWave, American ExpressPay, Discover D-PAS, UnionPay QuickPass, JCB, TQM, CE, RoHS	



VP550 The Advanced Android POS Solution







5.99" Touchscreen Display



Cash Discounting, Dual Pricing, Surcharging



4G LTE, 3G, GPRS, WLAN, & Bluetooth Wireless Connectivity



Auto-Connection Failback Procedure



Dual MID Supported Technology



Long-Lasting Battery



Menu & Inventory Management

Pay-at-the-Table, Bill Splitting & Tip Adjustment



Business App Marketplace




Digital Signature Capture with SMS & Email Receipt Options

Processor		Cortex Quad-core A53, 2.0GHz
Security Processor		ARMv7-M security core
Operating System		Android
Memory	Flash/RAM	2GB
	Micro-SD Socket	(Up to 256GB)
Display		5.99-inch TFT full color LCD display, resolution of 1440 x 720, with adjustable backlight, capacitive multi-touch screen, support electronic signature
Magnetic Card Reader		Triple track, bi-directional, conforming to ISO 7810/7811/7813
Smart Card Reader		EMV L1/L2, conforming to ISO 7816, 1.8V/3V/ 5V, synchronous & asynchronous, T=0 & T=1
Contactless Card Reader		EMV Contactless L1, conforming to ISO 14443 Type A/B, Mifare , Felica
Positioning		GPS, GLONASS, BEIDOU
Wireless Communication		4G / 3G Wi-Fi (802.11 a/b/g/n/ac) 2.4G&5G Bluetooth 2.1/5.0
Audio		1 x speaker, 1 x microphone, support audio recording and media play
Keypad		Secure virtual keypad for PIN entry, 1 x power button, 1 x VOL+, 1 x VOL-
Printer		High-speed thermal printer, 80 mm/s Paper roll diameter: 40mm Paper width: 58mm
Camera		0.3 MP front camera, support 1D/2D code payment 5 MP autofocus rear camera with flashlight, support 1D/2D code payment
Peripheral Ports		1 x Type C port
Card Slots		2 x SIM, 2 x SAM, 1 x SD
Battery		Li-ion battery, 7.2V/2600mAh/18.7Wh (Equal to 3.6V/5200mAh)
Power Supply		Input: 100-240V AC 50/60Hz Output: 5.0V DC, 2.0A
Dimensions (mm)		201(L) x 79.8(W) x 62(H)
Expansion HUB		RS232 (RJ12/RJ11), 2 x USB-A, Type-C, Ethernet (RJ45)
Weight		464g including battery
	Operating Temperature	0°C∼40°C(32°F~104°F)
Environment	Storage Temperature	-20°C~60°C(-4°F~104°F)
	Relative Humidity	5%~93% (Non-condensing)
Docking Station		N/A
Certifications		PCI PTS 6.x, EMV L1/L2, EMV Contactless L1, PayPass, payWave, American ExpressPay, Discover D-PAS, UnionPay QuickPass, JCB, TQM, CE, RoHS, MCCS, CB, Interac, ATEX



VP550E The Eco-Friendly POS Solution







5" Touchscreen



Cash Discounting, Dual Pricing, Surcharging



Wi-Fi, 5G/ 4G / 3G / 2G, & Bluetooth



Lightweight & Portable



Long-Lasting Battery



PCI PTS 6.x Certified



Digital Signature Capture



Menu & Inventory Management



QR-Code



Tap/Insert/Swipe

	TIONS	
Processor		Cortex Quad-core A53, 2.0GHz
Security Processor		Cortex-M3 security core
Operating System		Android 12
Memory	Flash/RAM	16GB /2GB
	Micro-SD Socket	(Up to 256 GB)
Display		5-inch TFT full color LCD display, resolution of 1280 x 720, capacitive multi-touch screen, support electronic signature
Magnetic Card Reader		Triple track, bi-directional, conforming to ISO 7810/7811/7813
Smart Card Reader		EMV L1/L2, conforming to ISO 7816, 1.8V/3V/ 5V, synchronous & asynchronous, T=0 & T=7
Contactless Card Reader		Under-screen contactless solution, EMV Contactless L1, conforming to ISO 14443 Type A/B, Mifare, Felica
Positioning		GPS/BEIDOU/GLONASS
Wireless Communication		4G / 3G / 2G WIFI (802.11 a/b/g/n) 2.4G & 5G Bluetooth 5.0
Audio		1 x Speaker, 1 x Microphone, support audio recording and media play
Keypad		Secure virtual keypad for PIN entry, 1 x power button, 2 x function buttons, 5 x Pogo Pins
Camera		0.3 MP front camera, support 1D/2D code payment 5MP autofocus rear camera, support 1D/2D code payment
Peripheral Ports		1 x Type C port (OTG)
Card Slots		1 x SIM, 1 x SAM
Battery		Li-ion battery, 3.8V/3600mAh/13.68Wh
Power Supply		Input: 100-240V AC 50/60Hz Output: 5.0V DC, 2.0A
Dimensions (mm)		150(L) x 74(W) x 16.8(H) The thickest part of the swiping card place is 18.8mm
Weight		245g including 3600mAh battery
	Operating Temperature	10°C~50°C (14°F~122°F)
Environment	Storage Temperature	-20°C~60°C (-4°F~104°F)
	Relative Humidity	5%~93% (Non-condensing)
Certifications		PCI PTS 6.x, EMV L1/L2, EMV Contactless L1, PayPass, payWave, American ExpressPay, Discover D-PAS, UnionPay QuickPass, TQM, CE, CB, RoHS, JCB, Felica, FCC

















High-speed Printer



Front Camera



Long-Lasting Battery



Digital Signature Capture with SMS & Email Receipt options

SPECIFICATIONS		0 + 6 + 6 + 450 40611
Processor		Octa-Core Cortex A53, 1.8GHz
Security Processor		Arm Cortex M3 security core
Operating System		Android 10.x
Memory	eMMC/LPDDR4	16GB /2GB
	Micro-SD Socket	(Up to 256GB)
Display	Main	8-inch portrait IPS display, resolution of 800 x 1280, capacitive multi-touch screen
2.5p.ay	Customer	5-inch landscape IPS display, resolution of 800 x 480, capacitive multi-touch screen
Magnetic Card Reader		Triple track, bi-directional, conforming to ISO 7810/7811/7813
Smart Card Reader		EMV L1/L2, conforming to ISO 7816, 1.8V/3V/ 5V, synchronous & asynchronous, T=0 & T=1
Contactless Card Reader		EMV Contactless L1, conforming to ISO 14443 Type A/B, Mifare , Felica
Positioning		GPS/BEIDOU/GLONASS/GALILEO/QZSS/SBAS
Wireless Communication		4G / 3G / 2G WIFI (802.11 a/b/g/n/ac) 2.4G & 5G Bluetooth 2.1 EDR/3.0 HS/4.2 LE
Audio		1 x Speaker, 1 x Microphone, 1 x Audio JACK, support audio recording and media play
Keypad		Secure virtual keypad for PIN entry, 1 x power button
Printer		High-speed thermal printer, 80mm/s Printer Paper roll diameter: 50mm Paper width: 58m
Camera		2 MP fixed focal front camera, support 1D/2D code payment 2 MP fixed focal rear camera, support 1D/2D code payment
Peripheral Ports		1 x Type-C, USB2.0 OTG Pogo Pins
Card Slots		2 x SIM, 1 x SAM, 1 x SD
Battery		Li-ion battery, 3.8V/6000mAh/22.8Wh
Power Supply		Input: 100-240V AC 50/60Hz Output: 5.0V DC, 3A
Dimensions (mm)		274.9(L) x 123.4(W) x 101.6(H)
Weight		895g including battery
	Operating Temperature	-10°C~50°C(14°F~122°F)
Environment	Storage Temperature	-20°C~70°C(-4°F~158°F)
	Relative Humidity	5%~93% (Non-condensing)
Docking Station		Charging Base
Certifications		PCI PTS 6.x, EMVL1/L2, EMV Contactless L1, PayPass, payWave, American ExpressPay, Discover D-PAS, UnionPay QuickPass, JCB, TQM, CE, RoHS, CB, FeliCa, MIC, BIS, Rupay, MCCS, Saber, WEEE & VOC, FCC

Valor's RCKT a Pocket-Sized POS

Instantly Pairs with Valor's Mobile Application





Lightweight & Easy-to-Hold



Cash Discounting, Dual Pricing, Surcharging



Wireless Bluetooth Connectivity



PCI PTS 5.0 Certified



Backlit LCD Display with **Long-lasting Battery**



Remote Key Injection



Data Integration for **Unified Commerce**



Automatic Software Updates



Contact/Contactless Swipe, Dip, Tap



EBT Enabled



Sale, Void, Refund, Gift Cards



Plug and Play



Tip Adjustment



Credit, Signature/ PIN Debit

Specifications					
CPU		32-bit high performance secure processor			
OS		RTOS (proprietary)			
Memory	Required	512KB SRAM, 512KB+4MB FLASH			
	Optional	512KB SRAM, 512KB+8MB FLASH			
Display		1.7-inch monochrome LCD display, resolution of 128 x 64, with backlight			
Wireless Communication		Bluetooth 4.2			
Magnetic Card Reader	Optional	Triple track, bi-directional, conforming to ISO 7810/7811/7813			
Smart Card Reader		EMV L1/L2, conforming to ISO 7816, 1.8V/3V/5V, Synchronous & Asynchronous, T=0 & T=1			
Contactless Card Reader		EMV Contactless L1, conforming to ISO 14443 Type A/B, Mifare , Felica			
Audio		Built-in buzzer			
Peripheral Ports		1 x TYPE-C for charging and communication			
Keypad		10 x alphanumeric keys, 5 x function keys, 1 x Power button			
Battery		Li-ion battery, 3.7V/470mAh/1.74Wh			
Power Supply		5V DC, 0.5A			
Dimensions (mm)		102.7mm(L) x 55.8mm(W) x 16.5mm(H)			
Weight		100g including battery			
		Operating temperature: 0°C~40°C (32°F~104°F)			
Environment		Storage temperature: -20°C~70°C (-4°F~158°F)			
		Relative humidity: 10%~90% (Non-condensing)°F			
Certifications		PCI PTS 5.x, EMV L1/L2, EMV Contactless L1, PayPass, payWave			
		American ExpressPay, Discover D-PAS,TQM, CE, RoHS			

The Cloud Based Portal that does it all

A True Omni-Channel Solution



Portal





Virtual Terminal

Portal



Engage My Customer™



Download & **Email Receipts**



Instant Boarding



Reports



Real time Transactions



Customize Device Parameters



Batch Settlement



Valor Shield Risk Management Tool



Virtual Terminal



Dynamic Transaction Descriptor









E-Commerce Integrations



E-Invoice Text to Pay & Email to Pay



Recurring **Payments**



PayNow Link Hosted Payment Page

The **Power** of **Customer Engagement**

Increase Merchant Revenue | Decrease Attrition



Engage My Customer™

Analyze your customers spending habits and send targeted marketing campaigns, all within the Valor Portal.







Customer Retention

Protect Your Reputation

Using Valor's survey tool with **Engage My Customer**[™] empowers merchants to instantly respond to negative feedback, stopping bad reviews before they occur.

Win Back Lost Customers

Send targeted marketing campaigns to customers who have stopped visiting your business for a specified amount of time and win them back.



Digital Receipt Marketing

By encouraging customers to "go green" and opt for an SMS receipt, merchants not only help protect our environment they

- Collect customer's contact information to use for future marketing purposes.
- Can add powerful marketing messages and clickable links to the digital receipt.






Target VIP & Large Spenders

Retain VIP Customers

Customers that frequently visit your business should never be lost. Stay in communication with your VIP Customers and they will never leave.



Market to High Spenders

In most businesses, 20% of your customers account for 80% of your revenue. Losing one is not an option. Stay in communication and keep them spending.



When do my customers spend?

Understanding when your customers spend money is a valuable statistic. Prepare your business for the busy times and send marketing messages to increase traffic during slow times.





Discover the Power of Dual Pricing!

Clearly display card vs. cash price at time of sale



Out with the old



In with the new



Start saving today with Dual Pricing



Dual Pricing on payment terminals is a transparent way to offer different transaction amounts to consumers paying with cash versus cards.

Make the switch today



Next day funding until 11:00PM EST



POS systems for all business types



Wi-Fi wireless terminals with Pay-at-the-Table



EBT and EMV enabled equipment



All major contactless payments supported







Price transparency at the time of sale



Full control over implementation



No more non-cash adjustments

Streamline Your E-Commerce Operations

Boost Sales and Efficiency with Seamless Integration



WooCommerce Integration

- Efficient inventory management.
- Diverse payment & shipping options.
- Real-time sales & customer data tracking.
- Automated marketing & promotional efforts.





Magento Integration

- Effortless products, orders, & customer management.
- Customizable store design reflecting your brand.
- Diverse payment & shipping options.
- SEO optimization for enhanced visibility.

Shopify Integration

- Intuitive interface for product and order management.
- Secure payment processing & shipping choices.
- · Access to customizable themes.
- Advanced analytics to monitor store performance.





OpenCart Integration

- Effortlessly manage products, categories, and customers.
- Flexible payment and shipping options.
- Customizable store design and layout.
- In-depth sales analysis with built-in reporting.

OsCommerce Integration

- Effortless setup with product & category management.
- Multiple payment gateway & shipping choices.
- Tailor your store's appearance to your brand.
- In-depth sales and customer insights.





BigCommerce Integration

- Effortless product catalog & inventory management.
- Secure payment processing & flexible shipping options.
- Customizable store design & layout.
- Powerful analytics for sales & customer behavior.

Passage.JS Integration

- Simplify your checkout process with a customizable checkout page.
- Offer a range of payment and shipping options.
- Monitor your sales and customer data with real-time analytics.
- Protect your store from fraud with advanced security features.





Securely Store and Manage Your Payment Information





The Vault

The Vault will make transactions more accessible and secure for our merchants by providing a safe and compliant way to store and access their customers' card information.



Advanced Security

Robust encryption and advanced security measures keep your payment data safe.



Multi-Platform Compatibility

Access your payment information securely from any device.



Convenient Payment Storage

Easily store and access your card information for seamless transactions.



Streamlined Management

Effortlessly add, remove, and update payment methods within The Vault.

Why Choose The Vault?



Unparalleled Security

Protect your sensitive payment information with state-of-the-art security features, providing peace of mind with every transaction.



Simplified Payment Process

Enjoy the convenience of storing your payment details in one secure location, reducing the need for repetitive data entry.



Enhanced Efficiency

Save time and effort with guick access to your stored payment methods, making online purchases faster and more streamlined.



Flexibility and Accessibility


Access your stored payment information across multiple platforms, allowing for convenient payments wherever you go.





Where Innovation & Simplification Meet

One-click Software Integration





Cloud Detect

Once Valor Connect has been enabled for a device in the Valor portal, our cloud detection technology will easily locate and display the enabled devices to select for integration.



Menu & Inventory Sync

By syncing the ISV's inventory with Valor's Omni channel cloud platform, all of the devices connected to the cloud including e-commerce sites, POS devices, and Virtual Terminal will update the inventory in real-time as transactions take place.

Instant cloud integration

is just a click away



Instant Integration

ISOs and merchants can select any supported POS solution and instantly integrate it with any Valor device.



Remote Setup

Combining our cloud detection software with our instant integration capability allows for the full setup to be completed remotely, eliminating the cost of deploying expensive labor for onsite integration.



VT to Card Present

In addition to ISV integrations, Valor Connect will allow a Virtual Terminal transaction (CNP) to be rerouted to a Valor terminal for a card present transaction.



Supported Platforms



















(Coming Soon)



Experience Automatic Card Updates

Reduce Card Declines.







Increase customer loyalty and reduce loss by avoiding expired cards.

Accurate customer payment card data is critical for merchants accepting recurring payments. With the automatic card information update feature of Valor Updater, say goodbye to declined transactions and provide a seamless payment experience for Visa®, Mastercard®, American Express®, and Discover® cardholders.

Outdated information causes declined transactions and added expenses. It leads to payment switches and service cancellations, prompting updates from cardholders. Valor Updater tackles this, automating customer card information updates.



Increase Revenue



Enhance Customer Retention



Reduce Customer Service Costs



Save on Authorization Fees

The Advantages of Valor Updater



Seamless Service

Revamp your customer relationships effortlessly by providing a seamless, uninterrupted service experience with Valor Updater.



Transparent Customer Updates

Building trust in customer relationships hinges on transparency. Valor Updater ensures that your customers are aware of their account or payment information updates.





Minimized Decline Disruptions

Offer a final adieu to declined transactions by ensuring the recurring customer card information is up-to-date and minimizes card declines.




Customer Retention


Empower merchants for enhanced customer retention with Valor Updater, preventing card declines through quick updates.



Valor and QuickBooks Unite Seamlessly







Valor + QuickBooks: Effortless Integration, Maximum Impact.



Seamless Workflow Integration

Valor and QuickBooks seamlessly integrate, ensuring a smooth workflow. This minimizes disruptions to your workflow and eliminates manual data entry, making your processes more efficient and error-free.



Efficient Customer & Inventory Management

Valor and QuickBooks work seamlessly together, enabling smooth two-way updates of customer and inventory data. Automatic updates streamline customer relationships and inventory management, ensuring consistency.



Quick and Accurate Financial Management

Integrating QuickBooks with Valor streamlines e-invoice management. Effortlessly generate e-invoices and promptly update payment transaction details for precise and current financial records.



Transaction Automation

Transition effortlessly to total transaction automation with Valor & QuickBooks. Easily import and sync sales, recurring transactions, refunds, e-invoices, and PayNow links into QuickBooks.



Two-way customer creation



One-way e-invoice creation



Two-way inventory creation



One-way payment update



Partnership Advantages

With Valor PayTech, your payments infrastructure can and should be a strategic advantage that gives you a leg up on the competition.



Customized Solutions



Complete Transparency



Personalized Support

11) VP500

Become a Partner

Enjoy flexible, integrated, and innovative solutions to create seamless payments experiences. Receive all-in-one payment technology in-store, mobile, e-commerce, embedded, and real-time from one reliable partner. Accept payments anywhere, anytime.

Unified Commerce Enablement for ISVs, ISOs, and Unattended



Technology Companies Monetize payments & increase customer retention



ISOs Drive more revenue & make better business decisions



Unattended Deliver convenience & speed while reducing costs

Trusted Personalized Products and Solutions



In-Store



Mobile



E-Commerce



Unattended



Commerce Unified



Marketplace



Gateway



Processor Agnostic



Expert Advisors

NOTES







2 Jericho Plaza, Suite 304 Jericho, NY 11753 valorpaytech.com

♠ □ ➤ ⑥ □



Scan the QR Code with your mobile device to contact our Sales Team.

Copyright © 2024, Valor PayTech, LLC. All rights reserved. This booklet is protected by U.S. and International copyright laws. Reproduction and/or distribution of the contents of this publication without the express written consent of the owner is prohibited.

